

De: Melissa Faria <melissa@bacula.com.br>
Para: selc@trt3.jus.br
cc: heitor <heitor@bacula.com.br>

Data: Segunda-feira, 16 De março De 2020 15:26
Assunto: Pedido de Juntada: Contrarrazões ao Recurso PE 05/2020 TRT3

Histórico: [✦](#) Esta mensagem foi encaminhada.

Prezados Senhores,

Encaminhamos, ainda no nosso prazo legal de contrarrazões, o pedido de juntada de documentação oficial, em anexo (dois arquivos).

Favor confirmar o recebimento.

Atenciosamente,

Melissa Faria

Diretora Comercial Bacula LATAM

phone: + 1 323 300-5387
mobile 1: + 55 61 99118-2604
mobile 2: +1 909 655-8242



Brasilia - Miami - New York

www.bacula.com.br

Anexos:

Whitepaper Global Endpoint Deduplication.pdf Contrarrazões Recurso Administrativo TRT3 Juntada (1).pdf

De: Melissa Faria <melissa@bacula.com.br>
Para: selc <selc@trt3.jus.br>
cc: heitor <heitor@bacula.com.br>

Data: Segunda-feira, 16 De março De 2020 16:25
Assunto: Novo Pedido de Juntada: Contrarrazões ao Recurso PE 05/2020 TRT3

Histórico: [✦](#) Esta mensagem foi encaminhada.

Prezados Senhores,

Pedimos, mais uma vez, ainda no prazo legal das nossas contrarrazões, a juntada de comprovação de atendimento à funcionalidade questionada pela empresa "America Tecnologia de Informática e Eletro-Eletronicos" no seu recurso. Trata-se de um [vídeo](#) demonstrativo.

Favor confirmar recebimento.

Atenciosamente,

Melissa Faria

Diretora Comercial Bacula LATAM

phone: + 1 323 300-5387
mobile 1: + 55 61 99118-2604
mobile 2: +1 909 655-8242



Brasilia - Miami - New York

www.bacula.com.br

Anexos:

Contrarrazões Recurso Administrativo TRT3 Juntada2.pdf

**ILUSTRÍSSIMO SENHOR PREGOEIRO E COMISSÃO DE LICITAÇÃO DO TRIBUNAL
REGIONAL DO TRABALHO 3ª REGIÃO**

Edital Nº: 05/2020

Processo: ePAD 4559/2020 SEIT

Objeto: contratação de estrutura de Backup composta de Licenças de Software e Servidores de Rede com alta capacidade de armazenamento para o Tribunal Regional do Trabalho da 3ª Região, incluindo instalação, suporte técnico, garantia e treinamento, nos termos deste Edital e seus anexos.

A empresa **Bacula Brasil e América Latina** (Razão Social: Heitor Medrado de Faria e CNPJ: 21.456.594/0001-10), devidamente qualificado nas Contrarrazões de Recurso, vem, tempestivamente, pedir a juntada de mais um documento complementar, comprobatório da funcionalidade questionada, em anexo (**Doc 01. "Whitepaper Global Endpoint Deduplication"**, da Bacula Systems), às suas contrarrazões ao recurso administrativo interposto pela **"America Tecnologia de Informática e Eletro-Eletronicos"**.

Especialmente no **tópico 6 - Supported Platforms (página 31)**, resta evidente o suporte da funcionalidade de Deduplicação Global para todas as plataformas suportadas pelo sistema Bacula Enterprise, inclusive Sistemas Operacionais da Microsoft.

Termos em que,
Pede Juntada.

Brasília-DF, 16 de março de 2020



HÉCTOR MEDRADO DE FARIA
CEO
Bacula do Brasil
+55 (61) 98268-4220
Brasília - DF

**ILUSTRÍSSIMO SENHOR PREGOEIRO E COMISSÃO DE LICITAÇÃO DO TRIBUNAL
REGIONAL DO TRABALHO 3ª REGIÃO**

Edital Nº: 05/2020

Processo: ePAD 4559/2020 SEIT

Objeto: contratação de estrutura de Backup composta de Licenças de Software e Servidores de Rede com alta capacidade de armazenamento para o Tribunal Regional do Trabalho da 3ª Região, incluindo instalação, suporte técnico, garantia e treinamento, nos termos deste Edital e seus anexos.

A empresa **Bacula Brasil e América Latina** (Razão Social: Heitor Medrado de Faria e CNPJ: 21.456.594/0001-10), devidamente qualificado nas Contrarrazões de Recurso, vem, tempestivamente, pedir a juntada de mais uma evidência complementar (vídeo), com demonstração comprobatória da funcionalidade questionada disponível no link <https://www.youtube.com/watch?v=wsEShAM8bu0&feature=youtu.be>, às suas

contrarrazões ao recurso administrativo interposto pela "America Tecnologia de Informática e Eletro-Eletronicos".

Termos em que,
Pede Juntada.

Brasília-DF, 16 de março de 2020



HETTOR MEDRADO DE FARIA
CEO
Bacula do Brasil
+55 (61) 98268-4220
Brasília - DF



Global Endpoint Deduplication

Bacula Enterprise Edition

This document is intended to provide insight into the considerations and processes required to implement deduplication with Global Endpoint Deduplication backups and Bacula Enterprise Edition.



**Bacula
Systems
White
Paper**

Version 12.2.3-1, March 16, 2020
Copyright ©2008-2020, Bacula Systems
All rights reserved.

Contents

1	Glossary	2
2	Deduplication	3
2.1	Advantages of Deduplication	3
2.2	Cautions About Using Deduplication	4
2.3	Aligned Volumes	4
2.4	Global Endpoint Deduplication	5
2.5	How Bacula Global Endpoint Deduplication Works	5
2.5.1	Global Endpoint Deduplication During Backup Jobs	5
2.5.2	Global Endpoint Deduplication During Restore Jobs	6
2.5.3	Client Side Rehydration	7
2.6	New Storage Daemon Device Directives	8
2.7	New Director Daemon FileSet Directive	9
2.8	New File Daemon Directive	11
2.9	Things to Know About Bacula	11
2.10	Deduplication Engine Vacuum	11
2.11	Deduplication Engine Status	12
2.12	Disaster Recovery	15
2.12.1	Catalog	15
2.12.2	Volumes	15
2.12.3	Index	15
2.12.4	Free Space Map (FSM)	15
2.12.5	Containers	16
3	Dedupengine	16
3.1	Sizing the Index	16
3.1.1	Setting up the Index size	17
3.1.2	Locking the index into memory	18
3.2	Commands to Tune the Index	18
3.3	Punching holes in containers	19
3.3.1	Theory: creating holes	20
3.3.2	Theory: smart allocating in between holes	20
3.3.3	Commands to create and manage holes	21
3.4	Quiesce and Unquiesce	21
3.5	Detect, Report and Repair Dedupengine Inconsistencies	22
3.5.1	checkindex option of the vacuum command	22
3.5.2	checkmiss and checkvolume options of the vacuum command	23
3.5.3	Self Healing	24
3.5.4	Container Scrubbing	25
4	Hardware Requirements	29
4.1	CPU	29
4.2	Memory	29
4.3	Disks	29



5	Restrictions and Limitations	30
6	Supported platforms	31

Executive Summary

IT organizations are constantly being challenged to deliver high quality solutions with reduced total cost of ownership. One of those challenges is the growing amount of data to be backed up, together with limited time to run backup jobs (backup window). Bacula Enterprise offers several ways to tackle these challenges, one of them being *Global Endpoint Deduplication*, which minimizes network transfer and Bacula Volume size using deduplication technology.

This document is intended to provide insight into the considerations and processes required to successfully implement this backup technique.

1 Glossary

- **Chunks** Bacula cuts files into chunks. Every chunk is stored and indexed in the deduplication engine (DedupEngine).
- **Containers** This is where chunks of data are stored sequentially. Bacula uses 65 containers to handle different chunk sizes (1K - 65K)
- **Container Area** This is the set of the 65 containers that can be accessed through a unified addressing method.
- **FSM** (Free Space Map) The FSM structure maintains free areas in the Containers. The FSM is stored in a file and mapped into memory.
- **Index** The Index is a Tokyo Cabinet hash database which maps chunk hashes to physical addresses in the Container Area.
- **DDE** (DedupEngine) The deduplication engine manages the Container Area, the Free Space Map and the Index. The deduplication engine converts chunks into references and stores or retrieves chunks.
- **Client Side Rehydration** is a heuristic algorithm that searches in files still present on the client for the chunk that will be restored.
- **Vacuum** reclaims storage occupied by unused chunks. In normal operation, chunks that are unreferenced by a purge are not physically removed from their container; they remain present until a vacuum is done. Therefore it is necessary to perform a vacuum process periodically.
- **Reference** is a reference to a chunk (block) in the deduplication engine. Usually a Reference is a set of 3 items:
 - the hash of the chunk



- the address of the chunk in the Container Area
- the size of the chunk

Querying the Index with the *hash* allows the DDE to retrieve the address and the size. Computing the hash of the chunk and comparing it with the hash allows the DDE to verify the integrity of the data. The address provides direct and fast access to the chunk.

2 Deduplication

Deduplication is a complex subject. Generally speaking, it detects that data being backed up (usually chunks) has already been stored and rather than making an additional backup copy of the same data, the deduplication software keeps a pointer referencing the previously stored data (chunk). Detecting that a chunk has already been stored is done by computing a hash code (also known as signature or fingerprint) of the chunk, and comparing the hash code with those of chunks already stored.

The picture becomes much more complicated when one considers where the deduplication is done. It can either be done on the server and/or on the client machines. In addition, most deduplication is done on a block by block basis, with some deduplication systems permitting variable length blocks and/or blocks that start at arbitrary boundaries (sliding blocks), rather than on specific alignments.

2.1 Advantages of Deduplication

- Deduplication can significantly reduce the disk space needed to store your data. In good cases, it may reduce disk space needed by half, and in the best cases, it may reduce disk space needed by a factor of 10 or 20.
- Deduplication can be combined with compression to further reduce the storage space needed. Compression depends on data type and deduplication depends on the data usage (on the need or the will of the user to keep multiple copies or versions of the same or similar data). Bacula takes advantage that both techniques work perfectly together and combines them in its Dedupengine.
- Deduplication can significantly reduce the network bandwidth required because both ends can exchange references instead of the actual data itself. It works when the destination already has a copy of the original chunks. Deduplication works for backups but also when doing a restore, see section 2.5.3.
- Handling references instead of the data can speed up most of the processing inside the Storage Daemon. For example, Bacula features like copy/migrate and Virtual Full can be up to 1,000 times faster.



2.2 Cautions About Using Deduplication

Here are a few of the things that you should be aware of before using deduplication techniques.

- To do efficient and fast deduplication, the Storage Daemon will need additional CPU power (to compute hash codes and do compression), as well as additional RAM (for fast hash code lookups). Bacula Systems can help you to calculate memory needs.
- For effective performance, the deduplication Index should be stored on SSDs as the index will have many random accesses and many updates.
- Due the extra complexity of deduplication, performance tuning is more complicated.
- If your disk develops a bad block, instead of damaging one file (that may be stored many times), it may damage all (dozen, hundred) files that contain that same block of data. That is you have a single point of failure that can cause more damage than would happen on a non-deduplicated or tape system. These problems can be reduced by using file systems that checksum everything such as ZFS and by using hardware RAID technology. If you are not able to use ZFS, we advise you to use XFS.
- Deduplication collisions can cause data corruption. This is more likely to happen if the deduplicating system uses a weak hash code such as MD5 or Fletcher. The problem of hash code collisions is mitigated in Bacula by using a strong hash code (SHA512/256).
- Deduplication is not implemented for tape devices. It works only with disk-based backups.

2.3 Aligned Volumes

Bacula Systems' first step in deduplication technology was to take advantage of underlying deduplicating filesystems by offering an alternative (additional) Volume format that is aligned on specific chunk boundaries. This permits an underlying file system that does deduplication to efficiently deduplicate the data. This new Bacula Enterprise Deduplication Optimized Volume format is often called "Aligned" Volume format. Another way of describing this is that we have filtered out all the metadata and record headers and put them in the Metadata Volume (same as existing Volume format) and put only file data that can be easily deduplicated into the Aligned Volume.

Since there are a number of deduplicating file systems available on Linux or Unix systems (ZFS, lessfs, ddumbfs, SDFS (OpenDedup), LiveDFS, ScaleDFS, NetApp (via NFS), Epitome (OpenBSD), Quantum (in their appliance), . . . , this Bacula Aligned Volume implementation allows users to choose the deduplication engine they want to use. More information about Deduplication Optimized Volume Format can be found in **Bacula Systems' DedupVolumes** whitepaper.



2.4 Global Endpoint Deduplication

Bacula Systems' latest step in deduplication technology is to offer the *Global Endpoint Deduplication* feature. With Global Endpoint Deduplication, Bacula will analyze data at the block level, then Bacula will store only new chunks in the deduplication engine, and use references in standard Bacula volumes to chunks stored in the deduplication engine. The deduplication can take place at the File Daemon side (saving network and storage resources), and/or at the Storage Daemon side (saving storage resources).

The remainder of this white paper will discuss only Global Endpoint Deduplication.

2.5 How Bacula Global Endpoint Deduplication Works

- First, please be aware that you need the **dedup-sd.so** or the **bacula-sd-dedup-driver-x.y.z.so** Storage Daemon plugin for Global Endpoint Deduplication to work. Please do not forget to define the `Plugin Directory` in the Storage Daemon configuration file `bacula-sd.conf`.
- Dedup devices are enabled by specifying the `dedup` keyword as a `DeviceType` directive in each disk Device resource in the `bacula-sd.conf` where you want to use deduplicated Volumes.

```
| DeviceType = Dedup
```

- You must pay particular attention to define a unique Media Type for devices that are Dedup as well as for each Virtual Autochanger that uses a different Archive Device directory. If you use the same Media Type for a Dedup device type as for a normal disk Volume, you run the risk that you will have data corruption on disk Volumes that are used on Dedup and non-Dedup devices.
- When Global Endpoint Deduplication is enabled, the Device will fill in disk volumes with chunk references instead of the chunks. Bacula encrypted data, and very small files will be stored in the Volumes as usual. The deduplicated chunks are stored in the "Containers" of the Dedupengine, and are shared by all other dedup-aware devices in the same Storage Daemon.
- We advise to set a limit on the number of Jobs or the usage duration when working with dedup Volumes. In case you prefer to use `Maximum Volume Bytes`, please consider that two Catalog fields are considered when computing the volume size. `VolBytes` represents the volume size on disk and `VolaBytes` considers the amount of non-dedup data stored in the volumes, i.e., the rehydrated data. If the directive `Maximum Volume Bytes` is used for a dedup Volume, Bacula will consider both `VolBytes` and `VolaBytes` values to check the limits.

2.5.1 Global Endpoint Deduplication During Backup Jobs

- When starting a Backup Job, the Storage Daemon will inform the File Daemon that the Device used for the Job can accept dedup data.






Figure 1: Backup Scenario with “bothsides” Deduplication

- If the FileSet uses the `dedup = bothsides` option, the File Daemon will compute a strong hash code for each chunk and send references to the Storage Daemon which will request the original chunk from the File Daemon if the Dedupengine is unable to resolve the reference.
- If the FileSet uses the `dedup = storage` option, the File Daemon will send data as usual to the Storage Daemon, and the Storage Daemon will compute hash codes and store chunks in the Dedupengine and the references in the disk volume.
- If the FileSet uses the `dedup = none` option, the File Daemon will send data as usual to the Storage Daemon, and the Storage Daemon will store the chunks in the Volume without performing any deduplication functions.
- If the File Daemon doesn't support Global Endpoint Deduplication, the deduplication will be done on the Storage side if the Device is configured with `DeviceType = dedup`.

2.5.2 Global Endpoint Deduplication During Restore Jobs

- If the directive `Enable Client Rehydration` is set to “yes” in the File Daemon configuration file, the Storage Daemon will send references to the File Daemon during a restore. If the directive is set to “no”, the Storage Daemon will rehydrate all the references and send the chunks to the File Daemon.
- When the File Daemon receives a reference, it will try to rehydrate the data using local data, see section 2.5.3 Client Side Rehydration,




Figure 2: Restore Scenario when using “Enable Client Rehydration”

2.5.3 Client Side Rehydration

The File Daemon can try to do some rehydration on its own using local data. This feature can increase restore speeds for systems connected through a slow network and doesn't consume any resources at backup time.

This feature is activated with a FileDaemon resource directive called **Enable Client Rehydration** in `bacula-fd.conf`.

We recommend against using this feature on a client connected through a fast network, because the extra disk accesses and computation can slow down the speed of the restore jobs.

To take advantage of this feature you must understand how it works. At restore time, the client receives the original location, the offset and the hash of every chunk to restore. It then looks to see if the original file still exists, opens it and checks if the chunk at the given offset matches the given hash. If it matches, the File Daemon uses it and does not download the chunk from the Storage Daemon.

It is obvious that to take advantage of this feature, you must:

- Restore the data to another location.
- Have some piece of the original data in the original location.

This feature can be very helpful to retrieve an old version of the current data.

Notice that this feature doesn't work for files that are not going into the Deduplication Engine like small files or when data encryption is used. This also doesn't

work when the data is transformed by Bacula before reaching the Deduplication Engine. For example, when compression is used or when backing up Windows systems without the `portable = yes` option in the FileSet.

Unfortunately there is no evidence of the efficiency of the algorithm in the job report yet. The only evidence is the `read chunk` counter shown by the `dedup usage` command that is not incremented for chunks found on the Client.

2.6 New Storage Daemon Device Directives

- **Plugin Directory = <directory-path>**
This directive tells the Storage Daemon where to find plugins. The file **dedup-sd.so** or the **bacula-sd-dedup-driver-x.y.z.so** must be present in this directory before starting the Storage Daemon.
- **Dedup Directory = <directory-path>**
Deduped chunks will be stored in the **Dedup Directory**. This directory is common for all **Dedup** devices configured on a Storage Daemon and should have a large amount of free space. We advise you to use LVM on Linux Systems to ensure that you can extend the space in this directory. The **Dedup Directory** directive is mandatory. We recommend that you do not change this directory afterward, because if you make a mistake, it would invalidate all of your backups. If you do change the **Dedup Directory** directive, the following files must be moved to the new directory:
 - *.blk
- **Dedup Index Directory = <directory-path>**
Indexes will be stored in the **Dedup Index Directory**. Indexes will have a lot of random update accesses, and will benefit from fast drives such as SSD drives. By default, the **Dedup Index Directory** is set to the **Dedup Directory**.

As with the **Dedup Directory**, we recommend against changing the **Dedup Index Directory** directive. If you do, the following files and directories must be moved to the new directory:

- *.idx
- *.tch
- recovery
- recovery.new

The file `bee_dde.tch.new` is a temporary file used by the `optimize` part of the `vacuum` that remain when the process is interrupted. This file don't need to be moved.



- **Maximum Container Size = <size>**
No container will be allowed to grow to more than <size> bytes. When this size is reached, a new container file will be created. The default value is zero, meaning there is no limit. This limit is useful when you store your containers on a filesystem that limits the size of the file to a pretty low value.

The number of containers is limited to 511, so we recommend to keep this value unlimited or pretty high, at least 1TB. This value may be modified after the initialization of the DedupEngine. If a container is already bigger than the new limit, then no new data will be written to it, but its size will not be reduced. Other containers will comply with the new limit.

- **Device Type = Dedup**
This directive is required to make the Device write Dedup volumes. Once turned on, Bacula will use references in Volumes and will store data chunks into specific container files.

Once a Device has been defined with a certain Type (such as Dedup, Aligned, File or Tape), it cannot be changed to another Type. If you do so, the Bacula Storage Daemon will not be able to properly mount volumes that were created before the change.

```
# From bacula-sd.conf
Storage {
  Name = my-sd
  Working Directory = /opt/bacula/working
  Pid Directory = /opt/bacula/working
  Subsys Directory = /opt/bacula/working

  Plugin Directory = /opt/bacula/plugins
  Dedup Directory = /mnt/bacula/dedup/containers
  Dedup Index Directory = /mnt/SSD/dedup/index # Recommended to be on fast local SSD storage
  Maximum Container Size = 4TB # Maximum 511 containers can be created, please adapt to your need
}

Device {
  Name = "DedupDisk"
  Archive Device = /mnt/bacula/dedup/volumes
  Media Type = DedupVolume
  Device Type = Dedup # Required
  LabelMedia = yes
  Random Access = Yes
  AutomaticMount = yes
  RemovableMedia = no
  AlwaysOpen = no
}
```

2.7 New Director Daemon FileSet Directive

Within the Director, the Global Endpoint Deduplication system is enabled with a FileSet Option directive called **Dedup**. Each Include section can have a different behavior depending on your needs.


```

# Use the default dedup option of 'storage' side deduplication
FileSet {
  Name = FS_BASE
  Include {
    Options {
      Dedup = storage
    }
    File = /opt/bacula/etc
  }

  # Do not dedup my encrypted data
  Include {
    Options {
      Dedup = none
    }
    File = /encrypted
  }

  # Minimize the network transfer by using 'bothsides' dedup option
  Include {
    Options {
      Dedup = bothsides
    }
    File = /bigdirectory
  }
}

```

The **Dedup** FileSet option can have the following values:

- **storage** - All the deduplication work is done on the Storage Daemon side if the device type is **dedup**. The File Daemon will send all data to the SD just as it normally would. (Default value)
- **none** - Disable deduplication on both the File Daemon and Storage Daemon.
- **bothsides** - The deduplication work is done on the File Daemon and the Storage Daemon.

About FileSet Compression

The data stored by the Global Endpoint Deduplication Engine is automatically compressed using the LZ4 algorithm. Using the FileSet Compression = LZ0|GZIP option might reduce the deduplication efficiency, and compressing the data twice consumes extra CPU cycles on the client side. Thus we advise that you do not use client-side GZIP or LZ0 compression when using a Dedup Device. To prevent such an inefficient configuration, we recommend setting the Allow Compression directive in a Director Storage resource "No":

```

# cat bacula-dir.conf
...
Storage {
  Name = Dedup
  Allow Compression = No      # Disable FileSet Compression
                             # option automatically
}

```

```
Address = baculasd.lan
Password = xxx
Media Type = DedupMedia
...
}
```

2.8 New File Daemon Directive

The `Enable Client Rehydration FileDaemon` directive is optional and allows Bacula to try to do rehydration using existing local data, see section 2.5.3 Client Side Rehydration. The valid values are `Yes` or `No`. The default is `No`.

Starting with 8.2.0, the `FileDaemon Dedup Index Directory` in `bacula-fd.conf` directive is deprecated and replaced by `Enable Client Rehydration` directive.

```
# cat /opt/bacula/etc/bacula-fd.conf
FileDaemon {
...
  Enable Client Rehydration = yes
}
```

2.9 Things to Know About Bacula

- You must pay particular attention to define a unique `Media Type` for devices that are `Dedup` as well as for each `Virtual Autochanger` that uses a different `Archive Device` directory. If you use the same `Media Type` for a `Dedup` device type as for a normal disk `Volume`, you run the risk that you will have data corruption on disk `Volumes` that are used on `Dedup` and non-`Dedup` devices.
- `Dedup` devices are compatible with Bacula's `Virtual Disk Changers`
- We strongly recommend that you not use the Bacula `disk-changer` script, because it was written only for testing purposes. Instead of using `disk-changer`, we recommend using the `Virtual Disk Changer` feature of Bacula, for which there is a specific white paper.
- We strongly recommend that you update all File Daemons that are used to write data into `Dedup Volumes`. It is not required, but old File Daemons do not support the newer `FD to SD` protocol, and consequently the `Global Endpoint Deduplication` cannot not be done on the `FD` side.

2.10 Deduplication Engine Vacuum

Over time, you will normally delete files from your system, and in doing so, it may happen that there will be chunks that are stored in `dedup` containers that are no longer referenced.

In order to reclaim these unused chunks in containers, the administrator needs to schedule a `vacuum` option of the `dedup` command. The `vacuum` option will analyze `dedup` volumes and mark as free any chunks that are not referenced, thus allowing the disk space to be reused. The `vacuum` command can run while other jobs are running.

```

* dedup
Dedup Engine choice:
  1: Vacuum data files
  2: Cancel running vacuum
  3: Display data files usage
Select action to perform on Dedup Engine (1-3): 1
The defined Storage resources are:
  1: File1
  2: Dedup
Select Storage resource (1-2): 2
Connecting to Storage daemon Dedup at localhost:9103 ...
3000 Found 1 volumes to scan for MediaType=DedupMedia
Ready to read from volume "Vol1" on dedup data device "Dedup-Dev1" (/mnt/bacula/dedup/volumes).
End of Volume at file 0 on device "Dedup-Dev1" (/mnt/bacula/dedup/volumes), Volume "Vol1"
Ready to read from volume "Vol2" on dedup data device "Dedup-Dev1" (/mnt/bacula/dedup/volumes).
End of Volume at file 0 on device "Dedup-Dev1" (/mnt/bacula/dedup/volumes), Volume "Vol2"
Ready to read from volume "Vol3" on dedup data device "Dedup-Dev1" (/mnt/bacula/dedup/volumes).
End of Volume at file 0 on device "Dedup-Dev1" (/mnt/bacula/dedup/volumes), Volume "Vol3"
End of all volumes.
Vacuum cleaning up index.
Vacuum done.

```

2.11 Deduplication Engine Status

Is it possible to query the Deduplication Engine to get some information and statistics. Note that the current interface is oriented toward developers and is subject to change. For example, the Stats counters can be reset to estimate the work done by the engine for one job or for one period of time. Here is an example output of the dedup usage command, followed by an explanation of each section in the output:

```

* dedup storage=Dedup usage
Dedupengine status:
DDE: hash_count=1275 ref_count=1276 ref_size=78.09 MB
     ref_ratio=1.00 size_ratio=1.13 dde_errors=0
Config: bnum=1179641 bmin=33554393 bmax=335544320 mlock_strategy=1
        mlocked=9MB mlock_max=0MB
Containers: chunk_allocated=3469 chunk_used=1275
            disk_space_allocated=101.2 MB disk_space_used=68.87 MB
            containers_errors=0
Vacuum: last_run="06-Nov-14 13:28" duration=1s ref_count=1276
        ref_size=78.09 MB vacuum_errors=0 orphan_addr=16
Stats: read_chunk=4285 query_hash=7591 new_hash=3469 calc_hash=3470
      [1] filesize=40.88KB/499.6KB usage=36/484/524288 7% ***.....
      [2] filesize=40.13KB/589.0KB usage=18/286/524288 6% **5.....
      [3] filesize=25.47KB/655.2KB usage=7/212/524288 3% *4.....
      ...
      [64] filesize=4.096KB/4.096KB usage=0/0/524288 0% .....
      [65] filesize=53.25MB/63.90MB usage=800/960/524288 83% .....3*****

```

DDE:

- hash_count Number of hashes in the Index.
- ref_count Number of references in all the Volumes.

- `ref_size` The total of all rehydrated references in all the volumes. This is the size that would be needed if deduplication was not in use.
- `ref_ratio` The ratio between `ref_count` and `hash_count`.
- `size_ratio` The ratio between `ref_size` and `disk_space_used`.
- `dde_error` The number of invalid data found in the Index.

Config:

- `bnum` The capacity of the hash table in the Index. This is the number of buckets in the Tokyo Cabinet hash database.
- `bmin` The minimum size of the hash table in the Index. Bacula will not go below this value when resizing the Index.
- `bmax` The maximum size of the hash table in the Index. Bacula will not go above this value when resizing the Index. Zero means no limit.
- `mlock_strategy` This is the strategy to apply to lock only the hash table or the hash table and Index into memory.
 - 0 Do not lock any memory.
 - 1 Use at most `mlock_max` bytes to lock only the hash table of the Index.
 - 2 Use at most `mlock_max` bytes to lock all the Index.
- `mlocked` The current number of bytes locked by the Index.
- `mlock_max` The maximum number of bytes that the Index can lock.

Containers:

- `chunk_allocated` The number of chunks allocated in all containers.
- `chunk_used` The number of chunks that are really in use.
- `disk_space_allocated` The space allocated for all containers.
- `disk_space_used` The space that is really used inside all containers.
- `containers_error` The number of errors related to the containers.

Vacuum:

- `last_run` The date of the last vacuum.
- `duration` The time the vacuum took to complete.
- `ref_count` Number of references handled by last vacuum.
- `ref_size` The total rehydrated size of all references handled by last vacuum.
- `vacuum_errors` Number of various errors reported during last vacuum. You can get more information in the trace file.



2.12.5 Containers

Containers hold chunks of data. When a container (or part of a container) file is lost, the data is lost and it is not recoverable by Bacula. Use the deduplication engine recovery tools 3.5 to identify chunks of data that are lost and restore the deduplication engine consistency.

3 Dedupengine

The deduplication engine is the heart of Bacula's Global Endpoint Deduplication. It has to store, to index and to retrieve the chunks. All chunks are stored in the `Container Area` and registered in the `Index`. The `Index` is the bottleneck of the deduplication process because all operations need to access it randomly, and very quickly. Memory caching and storing the `Index` on SSD drives will help to maintain good performance.

The Deduplication Index maintains all the hashes of all chunks stored in the Dedup Containers. To get effective performance very fast low latency storage is critical. For large back up data it is best to have the Containers and Deduplication Index on the same hardware server with the Deduplication Index on solid-state drives (SSDs). The faster the disk performance, the faster and more efficient the deduplication process and the data protection will be. In production environments it is best to avoid configurations which introduce latency and delays in the storage infrastructure for the Deduplication Index. It is therefore best to avoid spinning disks, remote access configurations like NFS or CIFS and virtualized SDs. These can be acceptable for small containers (1-2TB) or to perform tests but will normally not provide acceptable performance in larger production environments.

3.1 Sizing the Index

The size of the index depends on the number of chunks that you want to store in the deduplication engine. An upper limit would be 1 chunk per file plus 1 chunk per 64K block of data.

$$\text{number_of_chunks} = \text{number_of_files} + \frac{\text{data_amount}}{64\text{K}} \quad (1)$$

If all you have is the storage capacity of your Storage Daemon and want to maximize it, you must know the average compressed size of the chunks you expect to store in Containers. If you don't know the size, you may use 16K.

$$\text{number_of_chunks} = \frac{\text{storage_capacity}}{16\text{K}} \quad (2)$$

When you know the number of chunks, you can calculate the size of your index.

$$\text{index_size} = 1.3 * \text{number_of_chunk} * 8 + 70 \quad (3)$$

The index can be split into two parts: the table and the records.



$$\text{index_size} = \text{table_size} + \text{record_size} \quad (4)$$

$$\text{table_size} = 1.3 * \text{number_of_chunk} * 8 \quad (5)$$

$$\text{record_size} = 1.3 * \text{number_of_chunk} * 70 \quad (6)$$

The table part is small and is accessed by all operations. The record part is bigger and is sometimes not used for read operations.

Storage size	Index size	Table part	Record part
1 TB	6.3 GB	0.65 GB	5.7 GB
10 TB	63.3 GB	6.5 GB	56.9 GB

Table 1: Samples of Index size for chosen Storage sizes

For good performance, you must try to lock the entire Index into memory, if this is not possible due to lack of memory resources, keeping at least the hash table in memory is highly recommended.

But these are not the only requirements. Bacula needs some extra space on disk and in memory to optimize and resize the Index. We recommend the following:

- Be sure to have 3 times the `index_size` on an SSD drive for the Index.
- Try to have `index_size+table_size` of RAM for the Index.
- At least be sure to have 2 times the “`table_size`” of RAM for the Index.

3.1.1 Setting up the Index size

The Index is based on a hash table that by design has a fixed size. A B-Tree structure is used to handle collisions in the hash table. The size of the table is important. If too small, the table will have to handle overflow that will slowdown the Index. If too big, the table will consume space and memory uselessly. The table can be resized online and Bacula takes advantage of the vacuum procedure to optimize the table size when needed. Creating the table at the right size from the start will ensure good performance from the beginning and avoid a reduction in performance. The user can define the minimum and maximum sizes of the table. At the end of the vacuum, if the amount of data to delete is large, or if the size of the table is unbalanced regarding the amount of remaining data, Bacula resizes the table to a size equal to 1.3 time the number of hashes remaining in the Index. This new size will be adjusted to match the minimum and maximum values chosen by the user.

$$bnum_min < \text{table_size} * 1.3 < bnum_max$$

The default values for `bnum_min` is 33,554,432 and 0 for `bnum_max`, meaning that their is no limit. These numbers are the number of chunks that the Index can



handle efficiently. A chunk can have a size between 1K to 64K. 16K is a good mean value. This means that the default index range is well suited for a storage space between 1TB and 10TB.

Keep in mind that the size of the index affects the amount of memory required to lock the index in memory.

3.1.2 Locking the index into memory

The operating system caches data that is used often in memory. Unfortunately the huge amount of data going in and out of the Storage Daemon usually wipes out the Index data from the system cache. The alternative is to force the system to map and lock some parts of the Index into memory.

The user has a choice between 3 strategies:

- 0 nothing is locked into memory
- 1 try to lock the table part of the Index into memory
- 2 try to lock the entire Index into memory

Bacula will not allocate more than the maximum value defined by the user (`mlock_max`) and will check the amount of memory available to not overload the system.

See how to change these variables in section 3.2 Commands to Tune the Index.

3.2 Commands to Tune the Index

Bacula Enterprise 8.2 added 4 new parameters to tune the Index. These parameters are initialized with default values when the Dedupengine is created or when Bacula upgrades the Dedupengine from an older version. These parameters may be modified at any time. They will be saved inside the Dedupengine and will be used during the next vacuum.

The Dedupengine can be tuned by changing some internal variables. To have a good understanding of how the deduplication engine works, be sure to read sections: 3.1 Sizing the Index and 3.2 Commands to Tune the Index.

- `bnum_min` The minimum capacity of the hash table in the Index. Bacula will not go below this value when resizing the Index.
- `bnum_max` The maximum capacity of the hash table in the Index. Bacula will not go above this value when resizing the Index. Zero means no limit.
- `mlock_strategy` This is the strategy to lock the Index into memory. You have the choice between 3 strategies:
 - 0 Do not lock any memory.
 - 1 Use at most `mlock_max` bytes to lock only the hash table of the Index into memory. (the default)
 - 2 Use at most `mlock_max` bytes to lock all the Index into memory.



- `mlock_max` The maximum amount of bytes that may be used to lock the Index into memory. Zero means no limit. (the default)

Each of these variables may be modified using the `dedup` command together with the name of the variable. The previous value is displayed for reference.

```
*dedup storage=Dedup bnum_min=33554393
3000 dedupsetvar bnum_min previous value was 33554393
*dedup storage=Dedup bnum_max=33554393
3000 dedupsetvar bnum_max previous value was 0
*dedup storage=Dedup mlock_strategy=1
3000 dedupsetvar mlock_strategy previous value was 1ff
*dedup storage=Dedup mlock_max=4096MB
3000 dedupsetvar mlock_max previous value was 0
```

You can review all of these values at once using the `dedup usage` command. At the top of the output you have the section `Config::`

```
* dedup storage=Dedup usage
Dedupengine status:
...
Config: bnum=1179641 bmin=33554393 bmax=33554393 mlock_strategy=1
        mlocked=9MB mlock_max=0MB
...
```

See the section 2.11 Deduplication Engine Status for an explanation of the other variables.

These values will be used during the next vacuum if the Index needs to be optimized. You can force an optimize by adding the option `forceoptimize` to the the `dedup vacuum` command.

```
* dedup storage=Dedup vacuum forceoptimize
```

To force the Dedupengine to use a new `mlock` value without running a `dedup vacuum`, you may use the `dedup tune indexmemory` command.

```
* dedup storage=Dedup tune indexmemory
```

3.3 Punching holes in containers

Some Linux filesystems like XFS and EXT4 have the ability to punch a hole¹ in a file. A portion of the file can be marked as unwanted and the associated storage released. Of course when a process writes into such a hole, the filesystem allocates space to this area.

Because the use of this technique can increase fragmentation of the filesystem and contribute to slower performance, it is recommended to avoid it when not needed, even though Bacula does its best to use it in a way that will not significantly impact performance.

The hole punching can happen in two places in the DDE:

¹Available for Redhat 6.7 and Redhat 7



- 1 detect and release large unused areas in containers,
- 2 prevent the allocation of chunks in these holes and prefer areas that are too small to be converted into holes.

Both of these processes are independent. As soon as you set up a `hole_size`, the DDE tries to allocate space outside of areas that are good candidates for hole creation, even if no holes have been created before.

3.3.1 Theory: creating holes

Because these holes can be reused by any container or file on the filesystem, this approach contributes to its fragmentation. That is why you must keep the size of these holes large enough to not reduce the performance of the filesystem. It has been shown that reading or writing random blocks of 4MB is done at a speed similar to sequential reads or writes. That is why we recommend setting the `hole_size` to 4MB. Smaller values can increase the work for the filesystem to manage all these small holes, reduce the performance, and make filesystem recovery processes (`fsck`) take longer. Using a higher value would reduce the probability to find such an unused amount of space inside the containers.

The DDE doesn't store the holes that it has created and doesn't use the information stored in the filesystem itself. The DDE creates the holes on top of the previous ones, and the filesystem ignores the requests for areas that are already holes.

The holes are aligned on the `hole_size` boundaries that we call extents. Remember that containers handle chunks of different sizes, and that are not all a power of 2, so they can span two extents. Spanning chunks have weird consequences on the holes:

- 1 A single used chunk spanning two extents will prevent the conversion of these 2 extents into holes.
- 2 A hole that has free spanning chunks at one or both ends holds more space than the space that has been given back to the filesystem.

3.3.2 Theory: smart allocating in between holes

As previously stated, if an unused area is big enough, only the part that is aligned on the `hole_size` boundaries will be converted into a hole. This allows some space around these holes that is still allocated by the filesystem and can be used without "consuming" any new space. The DDE will choose to allocate new chunks in these spaces first, even if these areas have not been converted into holes yet because the DDE relies on existing free space and not on holes that have been created in the past.

When all space between holes has been allocated, the system goes back to the sequential allocation strategy and uses space in existing holes and finally allocates space at the end of the file.



3.3.3 Commands to create and manage holes

Add the `holepunching` option to the `vacuum` command to create the holes at the end of the vacuum procedure. The command in `bconsole` is:

```
| * dedup vacuum holepunching storage=<DeviceName>
```

The first time you use the `holepunching` option, the DDE sets the hole size to 4194304 (4MB). The size is stored in the `hole_size` variable and can be modified or initialized before the first use. The option `forceoptimize` can be used together with the `holepunching` option without restriction. The time required to identify and create holes should not require more than 10s per TB.

You can change the `hole_size` to any value that is a power of 2 bigger than 1 MB. There is no upper limit, but values above 32MB are probably excessive. To change the `hole_size`, use the command:

```
| * dedup storage=<DeviceName> hole_size=<Size_in_Byte>
```

For example you can chose a smaller value with the aim of releasing more space.

```
| *dedup storage=Dedup hole_size=1048576  
3000 dedupsetvar hole_size previous value was 4194304
```

This new value will be used the next time the `vacuum` is run with the `holepunching` option. However, this value will be immediately used by the allocation process to avoid using free space that could be released by the next `holepunching` procedure. You can disable smart allocation by setting the value to zero. Notice that this value will set the default value to 4MB the next time you use the `holepunching` option in the `vacuum` command.

```
| *dedup storage=Dedup hole_size=0  
3000 dedupsetvar hole_size previous value was 4194304
```

You can review this value using the `dedup usage` command. At the top of the output you have the section `Hole::`:

```
| * dedup storage=Dedup usage  
Dedupengine status:  
...  
HolePunching: hole_size=1024 KB  
...
```

3.4 Quiesce and Unquiesce

It is possible to quiesce the dedupengine to safely copy its data without shutting down the DDE. The commands `quiesce` and `unquiesce` allow to freeze and unfreeze the DDE.

```
| * dedup storage=Dedup quiesce  
3900 quiesce successful  
* dedup storage=Dedup unquiesce  
3900 unquiesce successful
```



When the `quiesce` command is run, all running backups and restores are suspended. If the `scrub` is running, it is paused. If the `vacuum` is running, the `quiesce` wait for the end of the `vacuum` before to return. When the DDE is frozen, you can backup or copy all the data related to the DDE. The data are in a crash-consistent state, this mean that after the recovery, the data will be consistent. When the `unquiesce` command is run, all the backups and restores resume from the point where they had previously stopped. The `scrub` continue from where it was interrupted.

3.5 Detect, Report and Repair Dedupengine Inconsistencies

The `dedup vacuum` command provides three options: `checkindex`, `checkmiss` and `checkvolume` which can detect, report and when possible repair inconsistencies in the DDE. `checkindex` can be used with the two others. When `checkmiss` and `checkvolume` are used together, `checkmiss` is ignored.

The `checkindex` and `checkvolume` options use a temporary file `chunkdb.tch` that stores the hash for every *suspicious* chunk to save multiple computations.

The three options will log information to the trace file.

3.5.1 `checkindex` option of the `vacuum` command

At the end, the `Scrub` process does a `checkindex` to check the coherence between the Index and the FSM and to detect if an address is used twice or if an entry refers to an empty chunk.

The option `checkindex` checks the consistency of the Index with itself and the coherence between the Index and the FSM. When multiple entries in the Index address the same chunk in one container (an address collision), the procedure reads the chunk, calculates the hash and deletes all invalid entries from the index. This procedure is executed before reading the volumes, and it iterates the Index twice: Once to detect collisions, and one more time to delete all invalid entries.

The `checkindex` option displays some statistics in the trace file:

```
cleanup_index_addr_duplicate unset2miss=0
cleanup_index Phase 1 cnt=703783 badaddr=0 suspect=0 unset=0 2miss=0 miss=0
(count=703784 err=0 2miss_err_cnt=0)
cleanup_index Phase 2 cnt=703783 2miss=0 (count=703784 err=0 2miss_err=0)
```

- `cnt`: the number of data entries in the Index.
- `badaddr`: the number of entries in the Index with a fanciful address that don't match any container or any chunk inside a container.
- `suspect`: the number of colliding addresses that must be checked.
- `unset`: the number of addresses that were unexpectedly marked as free in the FSM and that have been temporary marked as used until the `vacuum` determines if the entry is needed or not.
- `2miss`: the number of new missing entries.

- `miss`: the number of entries that are missing, meaning that there is no matching chunk in the containers. This includes the newly created entries.
- `count`: the number of entries including the meta data (`cnt + 1`)
- `err`: a counter for uncommon errors.
- `2miss_err`: the number of errors when creating or converting an erroneous entry into a missing one.

3.5.2 `checkmiss` and `checkvolume` options of the `vacuum` command

The option `checkvolume` is deprecated since the availability of the `Scrub` process. In future releases the `checkvolume` option will be silently replaced by the option `checkmiss`.

These options search the Index for every reference found in the volumes. This can significantly increase the time of the vacuum if the Index doesn't fit into memory. Be sure to check that using the command `dedup storage=Dedup tune indexmemory`.

The option `checkmiss` simply creates dummy entries when a reference is not found in the Index. This entry indicates that the chunk is missing and could be resolved by future backups or by a `Scrub`. This option is less resource intensive than the `checkvolume` because it doesn't access the containers.

The option `checkvolume` checks the consistency of the Index with every reference found in the volumes. If the hash of the reference is not found in the Index or doesn't match the address, then the chunks at the given addresses are read, the hashes are calculated and the Index is fixed when appropriate. Incorrect entries are converted into `missing` to indicate that some chunks are missing. This option no longer uses the file `orphanaddr.bin`. This file is now deleted after a successful vacuum.

Every mismatch is logged in the `checkvolume` trace file with the coordinate of the file that holds the reference. Only one line is logged per file and per type of mismatch, others are counted in the statistics. Tools that can use this information to exclude the faulty file during a restore (for example) will come later.

The lines in the trace file look like this:

```

bacula-sd: dedupengine.c:4151 VacuumBadRef FixedIndex FI=1 SessId=1
SessTime=1479138666 : ref(#55fd99e7 addr=0x0016000000000001 size=22254)
idx_addr=0x0038000000000001

```

Every related line holds the keyword “`VacuumBadRef`” followed by one second keyword, see below for the details:

- `RefTooSmall`: The record in the volume that holds the reference is too small to hold a reference and is then unusable and not processed further.
- `BadAddr`: The address in the reference looks fanciful and is ignored. The record in the volume may be corrupted.



- **FixedIndex:** One reference has been verified and used to fix the Index. Maybe the Index had no entry for the hash of this reference or had a different address.
- **OrphanRef:** The hash related to this reference doesn't match the related chunk or the one given by the Index if any. This reference is an orphan. The file that holds this reference cannot be fully recovered.
- **RecoverableRef:** The hash related to this reference doesn't match the related chunk, but the Index has a different address that does match the chunk. Then the file can be restored using "dedup storage=XXXXXX rehydra_check_hash=1" during the time of the restore. The address is written in file `orphanaddr.bin`

The other fields on the line depend on the type:

- `FI`, `SessId` and `SessTime` are the coordinates of the file as written in the Catalog.
- fields inside `ref()` are related to the reference.

At the end, Bacula displays some statistics in the trace file:

```
Vacuum: idxfix=0 2miss=0 orphan=0 recoverable=0
Vacuum: idxupd_err=0 chunk_read=0 chunk_read_err=0 chunkdb_err=0
```

- `idxfix`: The number of entries fixed in the Index. See **FixedIndex** above.
- `orphan`: The number of orphan chunks. See **OrphanRef** above.
- `recoverable`: The number of recoverable chunks. See **RecoverableRef** above.
- `idxfix_err`: The number of errors while trying to fix the entries.
- `chunk_read`: The number of chunks that have been read from disk to verify the hash.
- `chunk_read_err`: The number of errors while reading the chunks.
- `chunkdb_err`: The number of errors while updating the cache that stores the hashes of the block that have been read.

The last three counters are also updated by the "checkindex" option.

3.5.3 Self Healing

It is possible to enable an option to store all chunks of data to the Deduplication Engine even if the chunks are already stored.

```
dedup storage=Dedup self_healing=1
```



3.5.4 Container Scrubbing

The Scrub process reads every chunk in every container and compares them with the Index. If an inconsistency is found, the Index is corrected automatically.

Since the container files can be very large, the Scrub process can take days to read everything within them. Bacula jobs (backup, restore, verify, migration, copy, ...) can run while the Scrub process is running. A vacuum process automatically pauses the Scrub process for the duration of the vacuum.

It is recommended to run the Scrub on a regular basis. To minimize the impact of the Scrub process during your backup window, it is possible to control the speed or suspend and resume the process with a bconsole command. This may be done manually, or scripted as part of a cron job:

```
$ cat /etc/cron.d/bacula-scrub
BCONS=/opt/bacula/bin/bconsole
LOG=/opt/bacula/working/scrub.log

#M H DOM M DOW USER  CMD
01 18 * * * bacula echo "dedup scrub suspend storage=Dedup" | $BCONS > $LOG
01 8 * * * bacula echo "dedup scrub resume storage=Dedup" | $BCONS > $LOG

# a soften solution limiting then bandwidth
#01 18 * * * bacula echo "dedup scrub_bwlimit=10mb/s storage=Dedup" | $BCONS > $LOG
#01 8 * * * bacula echo "dedup scrub_bwlimit=0 storage=Dedup" | $BCONS > $LOG
```

To limit the speed of the Scrub process, you can set the `DedupScrubMaximumBandwidth` directive on the Storage resource in the `bacula-sd.conf` file.

```
Storage {
    Name
    ...
    DedupScrubMaximumBandwidth = 20MB/s
}
```

This value may be adjusted manually with a bconsole command:

```
* dedup scrub_bwlimit=10mb/s
```

Scrubbing is more effective after a “`dedup vacuum checkmiss`”. The `checkmiss` option forces the vacuum to create dummy entries in the Index for every orphan reference found in the volumes. The Scrub process will resolve these dummy entries when it finds a matching chunk. When the Scrub doesn't find any related entry in the Index, the chunk is marked as free. The `checkvolume` option of the vacuum command also creates dummy entries. See the differences in the vacuum section.

```
$ cat /opt/bacula/scripts/dedup-scrub
#!/bin/sh
```



```

SD=Dedup1
LOG=/opt/bacula/working/scrub.log
PATH=$PATH:/opt/bacula/bin

exec 1>> $LOG
exec 2>> $LOG

date
echo "dedup vacuum checkmiss storage=$SD" | bconsole
echo "dedup scrub run storage=$SD" | bconsole
date

```

Scrubbing can be done by multiple threads, each of them handling one container at a time and should be able to reach a throughput up to 400MB/s per CPU core². The Scrub saves it's state at regular intervals and can restart from where it has been interrupted. The Scrub process doesn't restart automatically after a restart or a reboot.

The Scrub starts handling the containers that are the largest to efficiently balance the work between the threads.

At the end, the Scrub process does a `checkindex` to check the coherence between the Index and the FSM and to detect if an address is used twice or if an entry refers to an empty chunk.

The Scrub process can be controlled from `bconsole` via the `dedup` command:

```

*dedup
Dedup Engine choice:
  1: Vacuum data files
  2: Cancel running vacuum
  3: Display data files usage
  4: Scrub data files options
Select action to perform on Dedup Engine (1-4): 4
Dedup Engine Scrub Process choice:
  1: Run Scrub
  2: Stop Scrub
  3: Suspend Scrub
  4: Resume Scrub
  5: Status Scrub
Select Scrub action to perform on Dedup Engine (1-5):

```

It is possible to run every Scrub sub-command from the command line:

```

* dedup scrub run storage=Dedup
* dedup scrub run worker=3 storage=Dedup
* dedup scrub run reset storage=Dedup

```

²limited by the SHA512/256 calculation



The “dedup scrub run” command starts the Scrub process. If the Scrub has been interrupted by a crash or a restart of the daemon, the Scrub process will continue from its last saved point. The “worker” option controls the number of threads, the default is one. The “reset” option forces the Scrub to ignore its last saved point and restart from the beginning.

Other Scrub commands available:

```
* dedup scrub wait storage=Dedup
* dedup scrub stop storage=Dedup
* dedup scrub suspend storage=Dedup
* dedup scrub resume storage=Dedup
```

- **wait.** Wait until the end of the Scrub process.
- **stop.** Stop any running threads of the Scrub process.
- **suspend.** Suspend all the threads of the Scrub process.
- **resume.** Resume all the threads of the Scrub process.

“suspend” and “resume” do not modify the options given to the “run” command. “stop” stops the threads and allows a restart of the Scrub process using the “run” command and a different number of threads for example.

Finally you can get the status of last Scrub that has been started.

```
* dedup scrub status storage=Dedup
Scrubber: last_run="10-Aug-2017 12:05:38" started=1 suspended=0 paused=0 quit=0
pos=1225639597 pos=8% bw=44957018/50000000
* dedup scrub wait storage=Dedup
* dedup scrub status storage=Dedup
Scrubber: last_run="10-Aug-2017 12:05:38" started=0 suspended=0 paused=0 quit=1
pos=14453933383 pos=100% bw=3269270/50000000
```

The “status” sub-command tells you if the Scrub process is running, if it has been suspended by the user or paused by the vacuum, the absolute position that is the total of all the bytes that have been read for all the containers, the relative position in percent and also the disk bandwidth in bytes/s compared with what has been allowed by the variable “scrub_bwlimit”. The position is updated every 10 seconds.

Some useful information is logged to the trace file. The “status” sub-command, displays the status of the Scrub process for each container:

```
...
Scrub status [66] size=327677663 scrub_pos=-1 scrub_start=1502366453
Scrub status [67] size=327677780 scrub_pos=43670 scrub_start=1502367337
Scrub status [68] size=327679152 scrub_pos=0 scrub_start=0
...
Scrub status read_err=0 fix_err=0 feed=0
Scrub status fix_miss=0 wrong=0 false_set=0 false_unset=0
```

Here, the Scrub process for container [66] is finished, container [67] is being processed and the Scrub process for container [68] is still pending. The position is in bytes, and must be compared to the size of the container on the left - also in bytes. The “scrub_start” is the epoch when the Scrub started handling the container. The counters at the end of the output show the current general statistics:

- `read_err` is the number of chunks that were unreadable from the disk, or corrupted and finally ignored. As Holes are not yet skipped by the Scrub process, chunks in these areas will increment this counter.
- `fix_err` is the number of errors encountered when trying to fix an existing error
- `feed` is not documented and should always be 0.
- `miss` is the number of entries in the Index that were missing and have been resolved by the Scrub process.
- `wrong` is the number of entries in the Index that were pointing to the wrong chunk and that have been fixed by the Scrub process.
- `false_set` is the number of chunks that were incorrectly marked as used, but were not required by the Index and were then marked as free.
- `false_unset` is the number of chunks that were incorrectly marked as free, but required by the Index and were then marked as used.

When the Scrub process finishes a container, it logs the statistics for this container in the trace file:

```
ScrubContainer [106] end pos=-1 fatal=0 read_err=0 fix_err=0 feed=0
ScrubContainer [106] fix miss=0 wrong=0 false_set=0 false_unset=0
```

At the end, the Scrub process performs a cleanup identical to the cleanup done by the vacuum “checkindex” command and finally displays consolidated statistics for all of the containers.

```
cleanup_index_addr_duplicate unset2miss=1
cleanup index Phase 1 cnt=2362298 badaddr=0 suspect=0 unset=0 2miss=0 miss=0 (count=2362299
cleanup index Phase 2 cnt=2362298 2miss=0 (count=2362299 err=0 2miss_err=0)
Scrubber index cleanup chunk_read=0 chunk_read_err=0 chunkdb_err=0
ScrubContainer END read_err=0 fix_err=0 feed=0 cleanup=OK
ScrubContainer FIX miss=0 wrong=0 false_set=0 false_unset=0
```



4 Hardware Requirements

4.1 CPU

Bacula's Global Endpoint Deduplication consumes CPU resources on both File Daemon and Storage Daemon. The table 2 shows operations done by both daemons depending on the deduplication mode.

Note that the Storage Daemon has to re-calculate hashes of the chunks sent by the File Daemon to ensure the validity of the data added to the Dedupengine.

	Dedup=none	Dedup=storage	Dedup=bothside
Client	-	-	hash + compress
Storage	-	hash + compress + DDE	decompress + hash + DDE

Table 2: Operations done by each daemon

On recent Intel processors, compression and hash calculations each require about 1GHz of CPU power per 100MB/sec (1Gbps). Decompression requires only 0.25GHz for the same throughput. The Dedupengine depends more on IOPs rather than on CPU power (about 0.1GHz per 100MB/sec). Both daemons must also handle network and disks (around 1GHz per 100MB/sec).

The rules of thumb might be to dedicate 3GHz per 100MB/s for the File Daemon or the Storage Daemon when doing deduplication.

	100MB/sec (Gbps)	400MB/sec (4Gbps)	1000MB/s (10Gbps)
Client or storage	3GHz	12GHz	30GHz

Table 3: CPU requirements (Intel based)

Add about 50% more GHz for latest generation of AMD processors.

4.2 Memory

The File Daemon requires additional RAM to do bothsides deduplication because it has to keep the chunks in memory until the Storage Daemon sends a command to send or to drop a chunk of data. The extra memory required is about 4MB per running job.

The Storage Daemon also requires about 4MB of memory for every running job. The Dedupengine also needs more of memory for efficient lookups in the index file, see section 3

4.3 Disks

On the File Daemon, the directive `Enable Client Rehydration = yes` can generate some extra reads during the restore process and increase the disk load and possibly slow down the job.



On the Storage Daemon, chunks are stored randomly in Containers, and the disk systems might have to do significantly more random I/O during backup and restore. Note that migration/copy and virtual full Jobs do not need to rehydrate data if the destination device supports deduplication. Chunks are stored in 65 container files in the Dedup Directory. All Volumes use references to those container files. This means that your system must be configured to manage disk space and extend disk space if necessary. We advise you to use LVM, ZFS, or BTRFS.

For effective performance, it is recommended to store the deduplication engine Index on dedicated SSDs, see section 3. It is not recommended to store deduplication engine containers with the Catalog.

The index file used to associate SHA512/256 digests with data chunk addresses will be constantly accessed and updated for each chunk backed up. Using SSD disks to store the index file will give better performance. The number of I/O operations per second that SSD devices can achieve will drive the global performance of the deduplication engine. For example, if your disk system can do 10,000 operations per second, it means that your Storage Daemon will be able to write between 5,000 and 10,000 blocks per second to your data disks. (310 MB/sec to 620 MB/sec with 64 KB block size, 5 MB/sec to 10 MB/sec with 1 KB block size). The index is shared between all concurrent Jobs.

To ensure that a file system required for container, disk, volumes is mounted before the Storage Daemon starts, you can edit the `bacula-sd.service` unit file

```
# systemctl edit bacula-sd.service
```

This will create the file `/etc/systemd/system/bacula-sd.service.d/override.conf` to add `bacula-sd.service` customized settings. Please add the following line line to the file and save it:

```
RequiresMountsFor=/bacula/dedup/index /bacula/dedup/containers /bacula/dedup/volumes
```

5 Restrictions and Limitations

- You must take care to define unique Media Types for Dedup Volumes that are different from Media Types for non-Dedup Volumes.
- The “hole punching” feature is available on Linux systems with kernel 2.6.37 and later. The function was also backported by Redhat to their 2.6.32 kernel (on Redhat 6.7). The feature is not available on FreeBSD or Solaris OSes.
- Some files are not good candidates for deduplication. For example, a mail server using maildir format will have a lot of small files, and even if one email was sent to multiple users, SMTP headers will probably interfere with the deduplication process. Small files will tend to enlarge your chunk index file resulting in a poor dedup ratio. A good dedup ratio of 20 for a file of 1024 bytes will save only 19 KB of storage, so much less gain than with a file of 64 KB with a poor dedup ratio of 2.



- Dedup Volumes cannot just be copied for offsite storage. Dedup Volumes should stay where the deduplication engine is running. In order to do offsite copies, it is recommended to run a Copy Job using a second Dedup Storage Daemon for example, or to create rehydrated volumes with a Copy/Migration/Virtual Full job using a regular disk Device. The VirtualFull support was added in version 8.0.7. The Storage Daemon to Storage Daemon Copy/Migration process with deduplication protocol was added in version 8.2.0.
- A Virtual Full between two Storage Daemons is currently not supported.
- Data spooling cannot be used with deduplication. Since versions 8.2.12 and 8.4.10, data spooling is automatically disabled whenever a device resource is configured with Device Type = Dedup.

6 Supported platforms

All Bacula Enterprise File Daemons (clients) support the Global Endpoint Deduplication. The Bacula Enterprise supported platforms are listed table 4

Platform	Availability	Support Level Agreement
Linux i32/i64	Server and Client	Full
FreeBSD	Server and Client	Full
Solaris	Server and Client	Full
Windows i32/i64	Client only	Full
Other Un*x/BSD systems	Client only	Reasonable effort

Table 4: Supported platforms

Revision History

Version	Date	Owner	Changes
1.0	18 June 2014	Eric	Initial creation
1.1	13 August 2014	Arno	Minor fixes, spelling
1.2	27 August 2014	Arno	Corrections, suggestions
8.0.1-2	03 September 2014	Eric	Add note about bscan, bextract
8.0.1-3	09 September 2014	Eric	Add note about offsite storage
8.0.4	31 Octobre 2014	Eric	Add note FD Dedup Cache Directory



Version	Date	Owner	Changes
8.0.4-1	06 November 2014	Alain	Update the DDE Status
8.0.7-1	13 December 2015	Eric	Add note on AllowCompression, remove limitation about bscan, bextract and specify that VF is supported with version 8.0.7.
8.2.0-1	March 2015	Alain	Add notes on new 8.2 tuning parameters.
8.2.0-2	2 Apr 2015	Eric	Review and corrections.
8.2.0-3	12 May 2015	Alain	Improved Client Side Rehydration section.
8.2.0-4	28 May 2015	Alain	Added description of vacuum_error and orphan_addr.
8.2.3	05 June 2015	Bill	Review and corrections.
8.3.0	28 September 2015	Alain	Add part about hole punching.
8.4.1	19 November 2015	Eric	Add information about hole punching support.
8.4.12	17 March 2016	Alain	Add note about auto disabling data spooling.
8.4.12-1	8 August 2016	Arno	Minor wording and layout modifications.
8.6.5	15 December 2016	Alain	Add checkindex, checkvolume option to dedup vacuum.
8.6.5-1	03 March 2017	Alain	Add description of container status in dedup usage output.
8.6.5-2	27 March 2017	Alain	Add directive MaxContainerSize.
8.6.15-1	19 April 2017	Eric	Add self healing option.
8.6.16	03 May 2017	Eric	Fix undefined references.
8.6.16	19 July 2017	Bill	Full review and corrections.
8.6.18	15 August 2017	Alain	Update scrub and vacuum.
8.6.18	30 August 2017	Bill	Scrub section review and corrections.
8.11.4	27 February 2018	Alain	Add quiesce and quiesce section.
10.2.0	27 November 2018	Eric	Fix 3035 about Media Type
12.2.3	16 March 2020	Eric	Add information about platforms

